



Screws & Rivets

For all order enquiries
call **07 3801 8885**

temsupplies.com.au

Catalogue Index



| | | |
|----------|---|----------------|
| 1 | SELF DRILLING SCREWS | 01 - 07 |
| | SELF DRILLING SCREWS CLASS 3 | |
| | - Hex Washer Head | 01 |
| | - Hex Washer Head With Polycarb Washer | 02 |
| | - Hex Washer Head Double Grip With Seal | 02 |
| | - Hex Washer Head No. 5 Ext Point | 02 |
| | - Wafer Head No. 5 Ext Point | 02 |
| | - Wafer Head | 02 |
| | - Button Head - Large Wafer | 03 |
| | - Flat Top | 03 |
| | - Countersunk Head | 03 |
| | - Countersunk Head Self Embedding Wing | 03 |
| | - Countersunk Self Embedding Head | 03 |
| | SELF DRILLING SCREWS CLASS 4 | |
| | - Hex Washer Head | 04 |
| | - Hex Washer Head Double Grip With Seal | 04 |
| | - Hex Washer Head Windfast With Seal | 04 |
| | SELF DRILLING SCREWS ZINC YELLOW CLASS 2 | |
| | - Hex Washer Head | 05 |
| | - Wafer Head | 05 |
| | - Button Head - (Large Wafer) | 05 |
| | - Flat Top | 05 |
| | - Countersunk Head | 05 |
| | - Countersunk Self Embedding Head Wing | 06 |
| | - Countersunk Self Embedding Head | 06 |
| | - Countersunk Head Ext Point | 06 |
| | - Bugle Head | 06 |
| | - Pan Head | 06 |
| | SELF DRILLING SCREWS 304 SS (Suitable For Drilling Alum) | |
| | - Wafer Phil | 07 |
| | - Wafer Square Drive | 07 |
| | - Countersunk Undercut Head Square Drive | 07 |
| | FRAMING SCREWS | |
| | - Wafer Head Sq Drive Serrated Dual Thread | 07 |
| | - Pancake Head Framing Self Tapping Screw Sq Drive & No3 Phil Recess | 07 |
| | - Pancake Head Framing SDS Sq Drive | 07 |

| | | |
|----------|---|----------------|
| 2 | T17 SCREWS | 08 - 11 |
| | T17 SCREWS CLASS 3 | |
| | - Hex Washer Head | 08 |
| | - Hex Washer Head With Polycarb Washer | 08 |
| | - Hex Washer Head Double Grip With Seal | 08 |
| | - Wafer Head | 09 |

| | | |
|--|---|----|
| | - Countersunk Head | 09 |
| | - Countersunk Self Embedding Head Square Drive | 09 |
| | - Bugle Head (Batten) | 09 |
| | T17 SCREWS CLASS 4 | |
| | - Hex Washer Head | 09 |
| | - Hex Washer Head Double Grip With Seal | 10 |
| | - Hex Washer Head Windfast With Seal | 10 |
| | T17 SCREWS ZINC YELLOW CLASS 2 | |
| | - Hex Washer Head | 10 |
| | - Wafer Head | 10 |
| | - Countersunk Head | 10 |
| | - Bugle Head (Batten) | 11 |
| | T17 SCREWS 304 SS | |
| | - Bugle Head (Batten) | 11 |
| | - Countersunk Self Embedding Head Square Drive | 11 |
| | T17 SCREWS 316 SS | |
| | - Bugle Head (Batten) | 11 |
| | - Countersunk Trim Head Self Embedding Square Drive | 11 |

| | | |
|----------|---|----------------|
| 3 | "S" POINT SCREWS | 12 - 13 |
| | "S" POINT SCREWS CLASS 3 | |
| | - Button Head | 12 |
| | - Hex Washer Head | 12 |
| | - Flat Top | 12 |
| | "S" POINT SCREWS ZINC YELLOW CLASS 2 | |
| | - Button Head | 12 |
| | - Countersunk Self Embedding Villaboard | 12 |
| | - Flat Top | 13 |
| | - Laminated Bugle Head | 13 |
| | "S" POINT SCREWS 304 SS | |
| | - Hex Washer Head Self Embedding | 13 |

| | | |
|----------|--|----------------|
| 4 | CHIPBOARD SCREWS | 14 - 15 |
| | CHIPBOARD SCREWS CLASS 3 | |
| | - Countersunk Self Embedding Head | 14 |
| | - Countersunk Self Embedding Head Square Drive | 14 |
| | CHIPBOARD SCREWS ZINC YELLOW | |
| | - Countersunk Self Embedding Head | 15 |
| | - Countersunk Self Embedding Head Square Drive | 15 |
| | CHIPBOARD SCREWS SQ DRIVE - 304 SS | |
| | - Countersunk Self Embedding Head Square Drive | 15 |

Catalogue Index



| | | |
|----------|--|----------------|
| 5 | SELF TAPPING SCREWS | 16 - 19 |
| | SELF TAPPING SCREWS STEEL ZINC PLATED | |
| | - Pan & Countersunk Head | 16-17 |
| | - Countersunk Undercut Head | 17 |
| | SELF TAPPING SCREWS - 304 SS | |
| | - Pan & Countersunk Head | 17 - 18 |
| | - Countersunk Undercut Head | 18 |
| | - Truss Head | 18 |
| | - Pan & Countersunk Head Square Drive | 18 -19 |
| | - Countersunk Undercut Head Square Drive | 19 |

| | | |
|----------|--|----------------|
| 6 | RIVETS | 20 - 24 |
| | ALUMINIUM (5052) / STEEL | |
| | - Dome Head - Aluminium / Steel | 20 |
| | - Countersunk Head - Aluminium / Steel | 20 |
| | - Dome Head - Large Flange - Aluminium / Steel | 21 |
| | - Dome Head - Aluminium / Steel Coloured | 21 |
| | - Dome Head Sealed - Aluminium / Steel | 22 |
| | - Dome Head Multigrip - Aluminium / Steel | 23 |
| | - Multigripe Large Flange - Aluminium / Steel | 23 |
| | STEEL/ STEEL | |
| | - Dome Head - Steel / Steel | 23 |
| | STAINLESS/ STAINLESS A2 | |
| | - Dome Head - Stainless / Stainless A2 | 24 |

| | | |
|----------|--|----------------|
| 7 | MASONRY | 25 - 31 |
| | SLEEVE ANCHORS CLASS 5.8 ZINC YELLOW | |
| | - Hexagon Flange Head | 25 |
| | - Countersunk Head | 25 |
| | - Flush Head | 25 |
| | SLEEVE ANCHORS GALVANISED | |
| | - Hexagon Flange Head | 26 |
| | SLEEVE ANCHORS - 316 SS | |
| | - Hexagon Flange Head | 26 |
| | - Flush Head | 27 |
| | WEDGE ANCHORS | |
| | - Wedge Anchors Class 5.8 Zinc Yellow | 27 |
| | - Wedge Anchors Class 5.8 Galvanised | 27 |
| | - Wedge Anchors - 316 SS | 28 |
| | - Suspension Anchors Class 5.8 Zinc Yellow | 28 |
| | PRO ANCHORS | |
| | - Pro Anchors Class 8.8 Zinc Plated | 28 |
| | PRO BOLTS MATERIAL 10B21 HEAT TREATED | |
| | - Hexagon Flange Head Galvanised | 28 - 29 |
| | - Hexagon Hanger Head Zinc Yellow | 29 |

| | |
|---|----|
| CHEMICAL ANCHOR STUDS | |
| - Flat Cut Galvanised | 29 |
| - Chisel Cut Galvanised | 29 |
| - Chisel Cut 316 SS | 29 |
| DROP IN ANCHORS | |
| - Zinc Yellow | 30 |
| - Lipped Zinc Plated | 30 |
| - 316 SS | 30 |
| - Setting Tool | 30 |
| ANCHORS | |
| - Split Anchors - Countersunk Head Zinc | 30 |
| - Metal Pin - Die Cast | 31 |
| - Mushroom Head - Nylon Steel Pin | 31 |
| - Mushroom Head - Nylon 304 SS Pin | 31 |
| - F-Type Grey Wall Plug - Nylon | 31 |

| | | |
|----------|---|----------------|
| 8 | CUPHEAD BOLTS / COACH SCREWS GALV. | 32 - 33 |
| | CUPHEAD BOLTS | |
| | - Cuphead - AS1390 -1112 Galv | 32 - 33 |
| | COACH SCREWS | |
| | - Hexagon Head - AS1393 Galv | 33 |

| | | |
|----------|-------------------------------|-----------|
| 9 | WASHERS / T- NUTS | 34 |
| | - Flat Washers - Galvanised | 34 |
| | - Washer - Grey Polycarbonate | 34 |
| | - T-Nuts - Zinc Plated | 34 |

| | | |
|-----------|--|----------------|
| 10 | PRO DRIVER BITS / PANEL DRILLS | 35 - 36 |
| | - Phillips Inserts Bits - Magnetised | 35 |
| | - Phillips Power Bits - Magnetised | 35 |
| | - Phillips Double Ended Bits - Magnetised | 35 |
| | - Square Drive Insert & Power Bits - Magnetised | 35 |
| | - Hex Drive Insert & Power Bits - Magnetised | 35 |
| | - Magnetic Bit Holders - 1/4 Magnetic Bit Holders With C Ring | 36 |
| | - Hex Nut Setters Magnetised - 1/4 Hex Drive | 36 |
| | - Panel Drills - Single Ended | 36 |
| | - Panel Drills - Double Ended | 36 |

TRADING PTY LTD

PROFAST

IMPORTERS OF INDUSTRIAL FASTENERS

Self Drilling Screws

Self Drilling Screws Class 3



| PART NO. | SIZE G-TPI X LENGTH | BOX QTY. |
|---|---------------------|----------|
| Hex Washer Head AS3566 Class 3 | | |
| SDH08012G18* | 8-18 x 12mm | 1,000 |
| SDH08020G18* | 8-18 x 20mm | 1,000 |
| SDH10016G16* | 10-16 x 16mm | 1,000 |
| SDH10016G16N* | 10-16 x 16mm | 1,000 |
| SDH10025G16* | 10-16 x 25mm | 1,000 |
| SDH10025G16N* | 10-16 x 25mm | 1,000 |
| SDH12020G14* | 12-14 x 20mm | 1,000 |
| SDH12020G14N* | 12-14 x 20mm | 1,000 |
| SDH12020G24* | 12-24 x 20mm | 1,000 |
| SDH12020G24N* | 12-24 x 20mm | 1,000 |
| SDH12025G14* | 12-14 x 25mm | 1,000 |
| SDH12025G14N* | 12-14 x 25mm | 1,000 |
| SDH12030G14* | 12-14 x 30mm | 1,000 |
| SDH12030G14N* | 12-14 x 30mm | 1,000 |
| SDH12030G24* | 12-24 x 30mm | 1,000 |
| SDH12030G24N* | 12-24 x 30mm | 1,000 |
| SDH12035G14* | 12-14 x 35mm | 1,000 |
| SDH12035G14N* | 12-14 x 35mm | 1,000 |
| SDH12045G14* | 12-14 x 45mm | 1,000 |
| SDH12045G14N* | 12-14 x 45mm | 1,000 |
| SDH12055G14 | 12-14 x 55mm | 1,000 |
| SDH12055G14N | 12-14 x 55mm | 1,000 |
| SDH12065G14 | 12-14 x 65mm | 1,000 |
| SDH12065G14N | 12-14 x 65mm | 1,000 |
| SDH14022G10* | 14-10 x 22mm | 1,000 |
| SDH14022G10N* | 14-10 x 22mm | 1,000 |
| SDH14022G20* | 14-20 x 22mm | 1,000 |
| SDH14022G20N* | 14-20 x 22mm | 1,000 |
| SDH14042G10* | 14-10 x 42mm | 1,000 |
| SDH14042G10N* | 14-10 x 42mm | 1,000 |
| SDH14042G20* | 14-20 x 42mm | 1,000 |
| SDH14042G20N* | 14-20 x 42mm | 1,000 |
| SDH14050G10 | 14-10 x 50mm | 1,000 |
| SDH14050G10N | 14-10 x 50mm | 1,000 |
| SDH14065G10 | 14-10 x 65mm | 1,000 |
| SDH14065G10N | 14-10 x 65mm | 1,000 |

Self Drilling Screws

Self Drilling Screws Class 3



| PART NO. | SIZE G-TPI X LENGTH | BOX QTY. |
|----------|---------------------|----------|
|----------|---------------------|----------|

Hex Washer Head | AS3566 Class 3

| | | |
|--------------|--------------|-------|
| SDH14075G10 | 14-10 x 75mm | 1,000 |
| SDH14075G10N | 14-10 x 75mm | 1,000 |
| SDH14095G10 | 14-10 x 95mm | 500 |
| SDH14095G10N | 14-10 x 95mm | 500 |

N Denotes Sealing Washer * Denotes fully threaded

Hex Washer Head With Polycarb Washer | AS3566 Class 3

| | | |
|---------------|--------------|-----|
| SDH12045G14PW | 12-14 x 45mm | 500 |
| SDH12065G14PW | 12-14 x 65mm | 500 |



Hex Washer Head Double Grip With Seal | AS3566 Class 3

| | | |
|---------------|--------------|-------|
| SDHDG12035G14 | 12-14 x 35mm | 1,000 |
| SDHDG12045G14 | 12-14 x 45mm | 1,000 |
| SDHDG12055G14 | 12-14 x 55mm | 1,000 |
| SDHDG12068G14 | 12-14 x 68mm | 1,000 |



Hex Washer Head No 5 Ext Point | AS3566 Class 3

| | | |
|----------------|--------------|-------|
| SDH50012032G24 | 12-24 x 32mm | 1,000 |
| SDH50012050G24 | 12-24 x 50mm | 500 |
| SDH50012065G24 | 12-24 x 65mm | 500 |
| SDH50012085G24 | 12-24 x 85mm | 500 |



Wafer Head No 5 Ext Point | AS3566 Class 3

| | | |
|----------------|--------------|-------|
| SDW50012032G24 | 12-24 x 32mm | 1,000 |
|----------------|--------------|-------|



Wafer Head | AS3566 Class 3

| | | |
|-------------|--------------|-------|
| SDW08012G18 | 8-18 x 12mm | 1,000 |
| SDW10016G16 | 10-16 x 16mm | 1,000 |
| SDW10022G16 | 10-16 x 22mm | 1,000 |
| SDW10022G24 | 10-24 x 22mm | 1,000 |
| SDW10030G16 | 10-16 x 30mm | 1,000 |
| SDW10030G24 | 10-24 x 30mm | 1,000 |
| SDW10040G16 | 10-16 x 40mm | 1,000 |
| SDW10040G24 | 10-24 x 40mm | 1,000 |



Self Drilling Screws

Self Drilling Screws Class 3



| PART NO. | SIZE G-TPI X LENGTH | BOX QTY. |
|---|---------------------|----------|
| Button Head - Large Wafer AS3566 Class 3 | | |
| SDLW08012G18 | 8-18 x 12mm | 1,000 |
| SDLW08016G18 | 8-18 x 16mm | 1,000 |
| SDLW08020G18 | 8-18 x 20mm | 1,000 |
| SDLW08025G18 | 8-18 x 25mm | 1,000 |
| SDLW08030G18 | 8-18 x 30mm | 1,000 |



| | | |
|----------------------------------|--------------|-------|
| Flat Top AS3566 Class 3 | | |
| SDFH10016G16 | 10-16 x 16mm | 1,000 |



| | | |
|--|--------------|-------|
| Countersunk Head AS3566 Class 3 | | |
| SDC10030G24 | 10-24 x 30mm | 1,000 |
| SDC10040G24 | 10-24 x 40mm | 1,000 |
| SDC10050G24 | 10-24 x 50mm | 1,000 |
| SDC10065G24 | 10-24 x 65mm | 1,000 |



| | | |
|--|--------------|-------|
| Countersunk Head Self Embedding Wing AS3566 Class 3 | | |
| SDCW06050G20 | 6-20 x 50mm | 1,000 |
| SDCW08032G18 | 8-18 x 32mm | 1,000 |
| SDCW10035G16 | 10-16 x 35mm | 1,000 |
| SDCW10040G16 | 10-16 x 40mm | 1,000 |
| SDCW10045G16 | 10-16 x 45mm | 1,000 |
| SDCW10050G16 | 10-16 x 50mm | 1,000 |
| SDCW10060G16 | 10-16 x 60mm | 1,000 |
| SDCW12050G14 | 12-14 x 50mm | 1,000 |



| | | |
|---|-------------|-------|
| Countersunk Self Embedding Head AS3566 Class 3 | | |
| SDCSE08020G18 | 8-18 x 20mm | 1,000 |
| SDCSE08025G18 | 8-18 x 25mm | 1,000 |
| SDCSE08030G18 | 8-18 x 30mm | 1,000 |

Self Drilling Screws

Self Drilling Screws Class 4



| PART NO. | SIZE G-TPI X LENGTH | BOX QTY. |
|---|---------------------|----------|
| Hex Washer Head AS3566 Class 4 | | |
| SDH10016C416 | 10-16 x 16mm | 1,000 |
| SDH10016C416N | 10-16 x 16mm | 1,000 |
| SDH12020C414 | 12-14 x 20mm | 1,000 |
| SDH12020C414N | 12-14 x 20mm | 1,000 |
| SDH12045C414 | 12-14 x 45mm | 1,000 |
| SDH12045C414N | 12-14 x 45mm | 1,000 |
| SDH12065C414N | 12-14 x 65mm | 1,000 |
| SDH14022C410 | 14-10 x 22mm | 1,000 |
| SDH14022C410N | 14-10 x 22mm | 1,000 |
| SDH14022C420 | 14-20 x 22mm | 1,000 |
| SDH14042C410N | 14-10 x 42mm | 1,000 |
| SDH14050C410 | 14-10 x 50mm | 1,000 |
| SDH14050C410N | 14-10 x 50mm | 1,000 |
| SDH14075C410 | 14-10 x 75mm | 500 |
| SDH14095C410N | 14-10 x 95mm | 500 |
| SDH14115C420 | 14-20 x 115mm | 500 |
| SDH14115C420N | 14-20 x 115mm | 500 |
| SDH14135C410 | 14-10 x 135mm | 250 |
| SDH14135C410N | 14-10 x 135mm | 250 |
| SDH14135C420 | 14-20 x 135mm | 250 |
| SDH14135C420N | 14-20 x 135mm | 250 |
| SDH14150C410 | 14-10 x 150mm | 250 |
| SDH14150C410N | 14-10 x 150mm | 250 |
| SDH14150C420 | 14-20 x 150mm | 250 |
| SDH14150C420N | 14-20 x 150mm | 250 |
| SDH14200C420 | 14-20 x 200mm | 250 |
| SDH14200C420N | 14-20 x 200mm | 250 |

N Denotes Sealing Washer

Hex Washer Head Double Grip With Seal | AS3566 Class 4



| | | |
|----------------|--------------|-------|
| SDHDG12035C414 | 12-14 x 35mm | 1,000 |
| SDHDG12045C414 | 12-14 x 45mm | 1,000 |
| SDHDG12055C414 | 12-14 x 55mm | 1,000 |

Hex Washer Head Windfast With Seal | AS3566 Class 4



| | | |
|----------------|--------------------|-------|
| SDWF12050C414N | 14-14/12-14 x 50mm | 1,000 |
|----------------|--------------------|-------|

Features - Dual point for both metal & timber. Double Grip. Able to be used in thin metal, timber Battens & Steel purlins. Greater pull out strength than standard roofing screws. N Denotes Sealing Washer

Self Drilling Screws

Self Drilling Screws Zinc Yellow Class 2



| PART NO. | SIZE G-TPI X LENGTH | BOX QTY. |
|--------------------------------------|---------------------|----------|
| Hex Washer Head Zinc Yellow | | |
| SDH08012Y18 | 8-18 x 12mm | 1,000 |
| SDH10016Y16 | 10-16 x 16mm | 1,000 |
| SDH10025Y16 | 10-16 x 25mm | 1,000 |
| SDH10016Y24 | 10-24 x 25mm | 1,000 |
| SDH12020Y14 | 12-14 x 20mm | 1,000 |
| SDH12035Y14 | 12-14 x 35mm | 1,000 |



| | | |
|---------------------------------|--------------|-------|
| Wafer Head Zinc Yellow | | |
| SDW08012Y18 | 8-18 x 12mm | 1,000 |
| SDW10016Y16 | 10-16 x 16mm | 1,000 |
| SDW10016Y24 | 10-24 x 16mm | 1,000 |
| SDW10022Y16 | 10-16 x 22mm | 1,000 |
| SDW10022Y24 | 10-24 x 22mm | 1,000 |
| SDW10030Y16 | 10-16 x 30mm | 1,000 |
| SDW10030Y24 | 10-24 x 30mm | 1,000 |



| | | |
|--|-------------|-------|
| Button Head (Large Wafer) Zinc Yellow | | |
| SDLW08012Y18 | 8-18 x 12mm | 1,000 |
| SDLW08016Y18 | 8-18 x 16mm | 1,000 |
| SDLW08020Y18 | 8-18 x 20mm | 1,000 |
| SDLW08025Y18 | 8-18 x 25mm | 1,000 |
| SDLW08032Y18 | 8-18 x 32mm | 1,000 |
| SDLW08040Y18 | 8-18 x 40mm | 1,000 |



| | | |
|-------------------------------|--------------|-------|
| Flat Top Zinc Yellow | | |
| SDFH10016Y16 | 10-16 x 16mm | 1,000 |



| | | |
|---------------------------------------|--------------|-------|
| Countersunk Head Zinc Yellow | | |
| SDC10030Y24 | 10-24 x 30mm | 1,000 |
| SDC10040Y24 | 10-24 x 40mm | 1,000 |
| SDC10050Y24 | 10-24 x 50mm | 1,000 |
| SDC10065Y24 | 10-24 x 65mm | 1,000 |

Self Drilling Screws

Self Drilling Screws Zinc Yellow Class 2



| PART NO. | SIZE G-TPI X LENGTH | BOX QTY. |
|----------|---------------------|----------|
|----------|---------------------|----------|

Countersunk Self Embedding Head Wing | Zinc Yellow



| | | |
|--------------|--------------|-------|
| SDCW06050Y20 | 6-20 x 50mm | 1,000 |
| SDCW08032Y18 | 8-18 x 32mm | 1,000 |
| SDCW10035Y16 | 10-16 x 35mm | 1,000 |
| SDCW10040Y16 | 10-16 x 40mm | 1,000 |
| SDCW10045Y16 | 10-16 x 45mm | 1,000 |
| SDCW10050Y16 | 10-16 x 50mm | 1,000 |
| SDCW10060Y16 | 10-16 x 60mm | 1,000 |
| SDCW10070Y16 | 10-16 x 70mm | 500 |
| SDCW12050Y14 | 12-14 x 50mm | 500 |

Countersunk Self Embedding Head | Zinc Yellow



| | | |
|---------------|-------------|-------|
| SDCSE08020Y18 | 8-18 x 20mm | 1,000 |
| SDCSE08025Y18 | 8-18 x 25mm | 1,000 |
| SDCSE08030Y18 | 8-18 x 30mm | 1,000 |

Countersunk Head Ext Point | Zinc Yellow



| | | |
|---------------|-------------|-------|
| SDCEP06050Y20 | 6-20 x 50mm | 1,000 |
| SDCEP06065Y20 | 6-20 x 65mm | 1,000 |

Bugle Head | Zinc Yellow



| | | |
|--------------|-------------|-------|
| SDBH06025Y20 | 6-20 x 25mm | 1,000 |
| SDBH06032Y20 | 6-20 x 32mm | 1,000 |
| SDBH06045Y20 | 6-20 x 45mm | 1,000 |

Pan Head | Zinc Plated



| | | |
|-------------|-------------|-------|
| SDP08012Z12 | 8-18 x 12mm | 1,000 |
| SDP08016Z18 | 8-18 x 16mm | 1,000 |
| SDP08020Z18 | 8-18 x 20mm | 1,000 |
| SDP08025Z18 | 8-18 x 25mm | 1,000 |

Self Drilling Screws

Self Drilling Screws 304 SS (suitable For Drilling Alum)



| PART NO. | SIZE G-TPI X LENGTH | BOX QTY. |
|--|---------------------|----------|
| Wafer Phil 304 SS (suitable For Aluminium Only) | | |
| SDW10016SS16 | 10-16 x 16mm | 1,000 |
| SDW10022SS24 | 10-24 x 22mm | 1,000 |
| SDW10030SS24 | 10-24 x 30mm | 1,000 |



| PART NO. | SIZE G-TPI X LENGTH | BOX QTY. |
|--|---------------------|----------|
| Wafer Square Drive 304 SS (suitable For Aluminium Only) | | |
| SDWSQ10016A216 | 10-16 x 16mm | 1,000 |
| SDWSQ10022A224 | 10-24 x 22mm | 1,000 |
| SDWSQ10030A216 | 10-16 x 30mm | 1,000 |



| PART NO. | SIZE G-TPI X LENGTH | BOX QTY. |
|--|---------------------|----------|
| Countersunk Undercut Head Square Drive 304 SS (suitable For Aluminium Only) | | |
| SDCUSQ08012A218 | 8-18 x 12mm | 1,000 |
| SDCUSQ08020A218 | 8-18 x 20mm | 1,000 |
| SDCUSQ10020A216 | 10-16 x 20mm | 1,000 |

Framing Screws



| PART NO. | SIZE G-TPI X LENGTH | BOX QTY. |
|---|---------------------|----------|
| Wafer Head Sq Drive Serrated Dual Thread E Coating (Green) 1,000 hours salt spray | | |
| DTWSQ10016EG | 10-16/20 x 16mm | 1,000 |



| PART NO. | SIZE G-TPI X LENGTH | BOX QTY. |
|---|---------------------|----------|
| Pancake Head Framing Self Tapping Screw Sq Drive & No3 Phil Recess AS3566 Class 3 | | |
| STPCSQM06016G | M6-15 x 16mm | 1,000 |
| STPCM06016G | M6-15 x 16mm | 1,000 |



| PART NO. | SIZE G-TPI X LENGTH | BOX QTY. |
|---|---------------------|----------|
| Pancake Head Framing SDS Sq Drive AS3566 Class 3 | | |
| SDPCSQM06022G | M6-16(1.0)x22mm | 1,000 |

TRADING PTY LTD

PROFAST

IMPORTERS OF INDUSTRIAL FASTENERS

T17 Screws

T17 Screws Class 3



| PART NO. | SIZE G-TPI X LENGTH | BOX QTY. |
|---|---------------------|----------|
| Hex Washer Head AS3566 Class 3 | | |
| T17H10020G12 | 10-12 x 20mm | 1,000 |
| T17H10020G12N | 10-12 x 20mm | 1,000 |
| T17H10025G12 | 10-12 x 25mm | 1,000 |
| T17H10025G12N | 10-12 x 25mm | 1,000 |
| T17H12025G11 | 12-11 x 25mm | 1,000 |
| T17H12025G11N | 12-11 x 25mm | 1,000 |
| T17H12035G11 | 12-11 X 35mm | 1,000 |
| T17H12035G11N | 12-11 x 35mm | 1,000 |
| T17H12040G11 | 12-11 x 40mm | 1,000 |
| T17H12040G11N | 12-11 x 40mm | 1,000 |
| T17H12050G11 | 12-11 x 50mm | 1,000 |
| T17H12050G11N | 12-11 x 50mm | 1,000 |
| T17H12065G11 | 12-11 x 65mm | 1,000 |
| T17H12065G11N | 12-11 x 65mm | 1,000 |
| T17H14050G10 | 14-10 x 50mm | 1,000 |
| T17H14050G10N | 14-10 x 50mm | 1,000 |
| T17H14065G10 | 14-10 x 65mm | 500 |
| T17H14065G10N | 14-10 x 65mm | 500 |
| T17H14075G10 | 14-10 x 75mm | 500 |
| T17H14075G10N | 14-10 x 75mm | 500 |
| T17H14090G10 | 14-10 x 90mm | 500 |
| T17H14090G10N | 14-10 x 90mm | 500 |
| T17H14100G10 | 14-10 x 100mm | 500 |
| T17H14100G10N | 14-10 x 100mm | 500 |
| T17H14115G10 | 14-10 x 115mm | 500 |
| T17H14115G10N | 14-10 x 115mm | 500 |
| T17H14125G10 | 14-10 x 125mm | 250 |
| T17H14125G10N | 14-10 x 125mm | 250 |
| T17H14150G10 | 14-10 x 150mm | 250 |
| T17H14150G10N | 14-10 x 150mm | 250 |

N Denotes Sealing Washer



| | | |
|--|--------------|-----|
| Hex Washer Head With Polycarb Washer AS3566 Class 3 | | |
| T17H12050G11GPW | 12-11 x 50mm | 500 |
| T17H12065G11PW | 12-11 x 65mm | 500 |







| | | |
|---|--------------|-------|
| Hex Washer Head Double Grip With Seal AS3566 Class 3 | | |
| T17HDG12050G11 | 12-11 x 50mm | 1,000 |
| T17HDG12065G11 | 12-11 x 65mm | 1,000 |

T17 Screws

T17 Screws Class 3



| | PART NO. | SIZE G-TPI X LENGTH | BOX QTY. |
|---|--|---------------------|----------|
| | Wafer Head AS3566 Class 3 | | |
|  | T17W10025G12 | 10-12 x 25mm | 1,000 |
| | T17W10035G12 | 10-12 x 35mm | 1,000 |
| | T17W10040G12 | 10-12 x 40mm | 1,000 |
| | T17W10045G12 | 10-12 x 45mm | 1,000 |
| | Countersunk Head AS3566 Class 3 | | |
|  | T17C10030G12 | 10-12 x 30mm | 1,000 |
| | T17C10040G12 | 10-12 x 40mm | 1,000 |
| | T17C10050G12 | 10-12 x 50mm | 1,000 |
| | T17C10075G12 | 10-12 x 75mm | 1,000 |
| | Countersunk Self Embedding Head Square Drive AS3566 Class 3 | | |
|  | T17CSQ10040G12 | 10-12 x 40mm | 1,000 |
| | T17CSQ10050G12 | 10-12 x 50mm | 1,000 |
| | Bugle Head (Batten) AS3566 Class 3 | | |
|  | T17BH14050G10 | 14-10 x 50mm | 1,000 |
| | T17BH14065G10 | 14-10 x 65mm | 1,000 |
| | T17BH14075G10 | 14-10 x 75mm | 1,000 |
| | T17BH14100G10 | 14-10 x 100mm | 500 |
| | T17BH14125G10 | 14-10 x 125mm | 250 |
| | T17BH14150G10 | 14-10 x 150mm | 250 |
| | T17BH14200G10 | 14-10 x 200mm | 100 |

T17 Screws Class 4

| | PART NO. | SIZE G-TPI X LENGTH | BOX QTY. |
|---|---|---------------------|----------|
| | Hex Washer Head AS3566 Class 4 | | |
|  | T17H12025C411 | 12-11 x 25mm | 1,000 |
| | T17H12025C411N | 12-11 x 25mm | 1,000 |
| | T17H14025C410 | 14-10 x 25mm | 1,000 |
| | T17H14025C410N | 14-10 x 25mm | 1,000 |
| | T17H14050C410 | 14-10 x 50mm | 1,000 |
| | T17H14050C410N | 14-10 x 50mm | 1,000 |
| | T17H14065C410 | 14-10 x 65mm | 500 |
| | T17H14065C410N | 14-10 x 65mm | 500 |

N Denotes Sealing Washer

T17 Screws

T17 Screws Class 4



| PART NO. | SIZE G-TPI X LENGTH | BOX QTY. |
|---|---------------------|----------|
| Hex Washer Head AS3566 Class 4 | | |
| T17H14075C410 | 14-10 x 75mm | 500 |
| T17H14075C410N | 14-10 x 75mm | 500 |
| T17H14100C410 | 14-10 x 100mm | 500 |
| T17H14100C410N | 14-10 x 100mm | 500 |
| T17H14200C410 | 14-10 x 200mm | 250 |
| T17H14200C410N | 14-10 x 200mm | 250 |

N Denotes Sealing Washer

Hex Washer Head Double Grip With Seal | AS3566 Class 4



| | | |
|-----------------|--------------|-------|
| T17HDG12050C411 | 12-11 x 50mm | 1,000 |
| T17HDG12065C411 | 12-11 x 65mm | 1,000 |

Hex Washer Head Windfast With Seal | AS3566 Class 4

Features - Dual point for both metal & timber. Double Grip.



| | | |
|----------------|------------------|-------|
| SDWF12050C414N | 14-14/12-14 x 50 | 1,000 |
|----------------|------------------|-------|

Able to be used in thin metal, timber Battens & Steel purlins.
Greater pull out strength than standard roofing screws.

T17 Screws Zinc Yellow Class 2

Hex Washer Head | Zinc Yellow



| | | |
|--------------|--------------|-------|
| T17H12025Y11 | 12-11 x 25mm | 1,000 |
| T17H12035Y11 | 12-11 x 35mm | 1,000 |
| T17H12040Y11 | 12-11 x 40mm | 1,000 |
| T17H12050Y11 | 12-11 x 50mm | 1,000 |
| T17H12065Y11 | 12-11 x 65mm | 1,000 |

Wafer Head | Zinc Yellow



| | | |
|--------------|--------------|-------|
| T17W10025Y12 | 10-12 x 25mm | 1,000 |
| T17W10035Y12 | 10-12 x 35mm | 1,000 |
| T17W10040Y12 | 10-12 x 40mm | 1,000 |
| T17W10045Y12 | 10-12 x 45mm | 1,000 |

Countersunk Head | Zinc Yellow



| | | |
|--------------|--------------|-------|
| T17C10030Y12 | 10-12 x 30mm | 1,000 |
| T17C10040Y12 | 10-12 x 40mm | 1,000 |
| T17C10050Y12 | 10-12 x 50mm | 1,000 |
| T17C10075Y12 | 10-12 x 75mm | 1,000 |

T17 Screws

T17 Screws Zinc Yellow Class 2



| PART NO. | SIZE G-TPI X LENGTH | BOX QTY. |
|--|---------------------|----------|
| Bugle Head (Batten) Zinc Yellow | | |
| T17BH14050Y10 | 14-10 x 50mm | 1,000 |
| T17BH14075Y10 | 14-10 x 75mm | 1,000 |
| T17BH14100Y10 | 14-10 x 100mm | 500 |

T17 Screws 304 SS



| Bugle Head (Batten) 304 Stainless Steel | | |
|--|---------------|-----|
| T17BH14050A210 | 14-10 x 50mm | 500 |
| T17BH14075A210 | 14-10 x 75mm | 500 |
| T17BH14100A210 | 14-10 x 100mm | 250 |
| T17BH14125A210 | 14-10 x 125mm | 250 |
| T17BH14150A210 | 14-10 x 150mm | 250 |



| Countersunk Self Embedding Head Square Drive 304 Stainless Steel | | |
|---|--------------|-----|
| T17CSQ10040A212 | 10-12 x 40mm | 500 |
| T17CSQ10050A212 | 10-12 x 50mm | 500 |
| T17CSQ10065A212 | 10-12 x 65mm | 500 |

T17 Screws 316 SS



| Bugle Head (Batten) 316 Stainless Steel | | |
|--|---------------|-----|
| T17BH14075A410 | 14-10 x 75mm | 500 |
| T17BH14100A410 | 14-10 x 100mm | 250 |



| Countersunk Trim Head Self Embedding Square Drive 316 Stainless Steel | | |
|--|--------------|-----|
| T17CSQT10050A412 | 10-12 x 50mm | 500 |

TRADING PTY LTD

PROFAST

IMPORTERS OF INDUSTRIAL FASTENERS

"S" Point Screws

"S" Point Screws Class 3



| PART NO. | SIZE G-TPI X LENGTH | BOX QTY. |
|----------|---------------------|----------|
|----------|---------------------|----------|

Button Head | Class 3



| | | |
|------------|-------------|-------|
| SPTB08012G | 8-15 x 12mm | 1,000 |
| SPTB08016G | 8-15 x 16mm | 1,000 |
| SPTB08020G | 8-15 x 20mm | 1,000 |
| SPTB08025G | 8-15 x 25mm | 1,000 |
| SPTB08032G | 8-15 x 32mm | 1,000 |

Hex Washer Head | AS3566 Class 3



| | | |
|-------------|--------------|-------|
| SPTH08015G | 8-15 x 15mm | 1,000 |
| SPTH08015GN | 8-15 x 15mm | 1,000 |
| SPTH10020G | 10-12 x 20mm | 1,000 |
| SPTH10020GN | 10-12 x 20mm | 1,000 |

Flat Top | AS3566 Class 3



| | | |
|-------------|--------------|-------|
| SPTFT10016G | 10-15 x 16mm | 1,000 |
|-------------|--------------|-------|

"S" Point Screws Zinc Yellow Class 2

Button Head | Zinc Yellow



| | | |
|------------|-------------|-------|
| SPTB08012Y | 8-15 x 12mm | 1,000 |
| SPTB08016Y | 8-15 x 16mm | 1,000 |
| SPTB08020Y | 8-15 x 20mm | 1,000 |
| SPTB08025Y | 8-15 x 25mm | 1,000 |
| SPTB08032Y | 8-15 x 32mm | 1,000 |
| SPTB08040Y | 8-15 x 40mm | 1,000 |

Countersunk Self Embedding Villaboard | Zinc Yellow



| | | |
|---------------|-------------|-------|
| SPTSE08020Y15 | 8-15 x 20mm | 1,000 |
| SPTSE08032Y15 | 8-15 x 32mm | 1,000 |

"S" Point Screws

"S" Point Screws Zinc Yellow Class 2



| PART NO. | SIZE G-TPI X LENGTH | BOX QTY. |
|-------------------------------|---------------------|----------|
| Flat Top Zinc Yellow | | |
| SPTFH10016Y | 10-15 x 16mm | 1,000 |



| | | |
|---|--------------|-------|
| Laminated Bugle Head Zinc Yellow | | |
| DWCL10040Y | 10-10 x 40mm | 1,000 |
| DWCL10050Y | 10-10 x 50mm | 1,000 |

"S" Point Screws 304 SS



| | | |
|--|-------------|-------|
| Hex Washer Head Self Embedding 304 SS | | |
| SPTH08015A2 | 8-15 x 15mm | 1,000 |

TRADING PTY LTD

PROFAST

IMPORTERS OF INDUSTRIAL FASTENERS

Chipboard Screws

Chipboard Screws Class 3



| PART NO. | SIZE G-TPI X LENGTH | BOX QTY. |
|--|---------------------|----------|
| Countersunk Self Embedding Head Class 3 | | |
| CB08020G | 8- 9 x 20mm | 1,000 |
| CB08025G | 8- 9 x 25mm | 1,000 |
| CB08028G | 8- 9 x 28mm | 1,000 |
| CB08030G | 8- 9 x 30mm | 1,000 |
| CB08035G | 8- 9 x 35mm | 1,000 |
| CB08040G | 8- 9 x 40mm | 1,000 |
| CB08045G | 8- 9 x 45mm | 1,000 |
| CB08050G | 8- 9 x 50mm | 500 |
| CB08057G | 8- 9 x 57mm | 500 |
| CB10065G | 10- 8 x 65mm | 500 |
| CB10075G | 10- 8 x 75mm | 500 |
| CB10100G | 10- 8 x 100mm | 250 |
| CB10125G | 10- 8 x 125mm | 500 |

For use in external & treated pine applications



| | | |
|---|---------------|-------|
| Countersunk Self Embedding Head Square Drive Class 3 | | |
| CBSQ08025G | 8- 9 x 25mm | 1,000 |
| CBSQ08032G | 8- 9 x 32mm | 1,000 |
| CBSQ08038G | 8- 9 x 38mm | 1,000 |
| CBSQ08041G | 8- 9 x 41mm | 1,000 |
| CBSQ08050G | 8- 9 x 50mm | 1,000 |
| CBSQ10065G | 10- 8 x 65mm | 1,000 |
| CBSQ10075G | 10- 8 x 75mm | 1,000 |
| CBSQ10100G | 10- 8 x 100mm | 500 |

For use in external & treated pine applications | Free Driver per box

Chipboard Screws

Chipboard Screws Zinc Yellow



| PART NO. | SIZE G-TPI X LENGTH | BOX QTY. |
|--|---------------------|----------|
| Countersunk Self Embedding Head Zinc Yellow | | |
| CB08020Y | 8- 9 x 20mm | 1000 |
| CB08025Y | 8- 9 x 25mm | 1000 |
| CB08028Y | 8- 9 x 28mm | 1000 |
| CB08030Y | 8- 9 x 30mm | 1000 |
| CB08032Y | 8- 9 x 32mm | 1000 |
| CB08035Y | 8- 9 x 35mm | 1000 |
| CB08041Y | 8- 9 x 40mm | 1000 |
| CB08045Y | 8- 9 x 45mm | 1000 |
| CB08050Y | 8- 9 x 50mm | 1000 |
| CB08057Y | 8- 9 x 57mm | 1000 |
| CB10065Y | 10- 8 x 65mm | 500 |
| CB10075Y | 10- 8 x 75mm | 500 |
| CB10100Y | 10- 8 x 100mm | 250 |



| PART NO. | SIZE G-TPI X LENGTH | BOX QTY. |
|---|---------------------|----------|
| Countersunk Self Embedding Head Square Drive Zinc Yellow | | |
| CBSQ08025Y | 8- 9 x 25mm | 1,000 |
| CBSQ08028Y | 8- 9 x 28mm | 1,000 |
| CBSQ08032Y | 8- 9 x 32mm | 1,000 |
| CBSQ08035Y | 8- 9 x 35mm | 1,000 |
| CBSQ08040Y | 8- 9 x 40mm | 1,000 |
| CBSQ08045Y | 8- 9 x 45mm | 1,000 |
| CBSQ08050Y | 8- 9 x 50mm | 1000 |
| CBSQ10065Y | 10- 8 x 65mm | 500 |
| CBSQ10075Y | 10- 8 x 75mm | 500 |
| CBSQ10100Y | 10- 8 x 100mm | 500 |

Chipboard Screws Sq Drive - 304 SS



| PART NO. | SIZE G-TPI X LENGTH | BOX QTY. |
|--|---------------------|----------|
| Countersunk Self Embedding Head Square Drive 304 SS | | |
| CBSQ08025A2 | 8- 9 x 25mm | 1,000 |
| CBSQ08032A2 | 8- 9 x 32mm | 1,000 |
| CBSQ08040A2 | 8- 9 x 40mm | 1,000 |
| CBSQ08045A2 | 8- 9 x 45mm | 1,000 |
| CBSQ08050A2 | 8- 9 x 50mm | 1,000 |
| CBSQ10065A2 | 10- 8 x 65mm | 500 |
| CBSQ10075A2 | 10- 8 x 75mm | 500 |

TRADING PTY LTD

PROFAST

IMPORTERS OF INDUSTRIAL FASTENERS

Self Tapping Screws

Self Tapping Screws Steel Zinc Plated



| PART NO. | COUNTERSUNK PART NO | SIZE G X LENGTH | BOX QTY. |
|---|---------------------|-----------------|----------|
| Pan & Countersunk Head Zinc Plated | | | |
| | STC04012Z | 4 x 1/2 | 1,000 |
| | STC04016Z | 4 x 5/8 | 1,000 |
| STP04020Z | STC04020Z | 4 x 3/4 | 1,000 |
| STP04025Z | STP04025Z | 4 x 1 | 1,000 |
| | STC05012Z | 5 x 1/2 | 1,000 |
| | STC05016Z | 5 x 5/8 | 1,000 |
| | STC05020Z | 5 x 3/4 | 1,000 |
| STP06006Z | | 6 x 1/4 | 1,000 |
| STP06010Z | | 6 x 3/8 | 1,000 |
| STP06012Z | STC06012Z | 6 x 1/2 | 1,000 |
| STP06016Z | STC06016Z | 6 x 5/8 | 1,000 |
| STP06020Z | STC06020Z | 6 x 3/4 | 1,000 |
| STP06025Z | STC06025Z | 6 x 1 | 1,000 |
| STP06030Z | STC06030Z | 6 x 1 1/4 | 1,000 |
| STP06038Z | STC06038Z | 6 x 1 1/2 | 1,000 |
| STP08010Z | | 8 x 3/8 | 1,000 |
| STP08012Z | STC08012Z | 8 x 1/2 | 1,000 |
| STP08016Z | STC08016Z | 8 x 5/8 | 1,000 |
| STP08020Z | STC08020Z | 8 x 3/4 | 1,000 |
| STP08025Z | STC08025Z | 8 x 1 | 1,000 |
| STP08030Z | STC08030Z | 8 x 1 1/4 | 1,000 |
| STP08038Z | STC08038Z | 8 x 1 1/2 | 1,000 |
| STP08050Z | STC08050Z | 8 x 2 | 1,000 |
| STP10012Z | | 10 x 1/2 | 1,000 |
| STP10016Z | STC10016Z | 10 x 5/8 | 1,000 |
| STP10020Z | STC10020Z | 10 x 3/4 | 1,000 |
| STP10025Z | STC10025Z | 10 x 1 | 1,000 |
| STP10030Z | STC10030Z | 10 x 1 1/4 | 1,000 |
| STP10038Z | OSTC10038Z | 10 x 1 1/2 | 1,000 |
| STP10045Z | STC10045Z | 10 x 1 3/4 | 1,000 |
| STP10050Z | STC10050Z | 10 x 2 | 1,000 |
| STP10065Z | STC10065Z | 10 x 2 1/2 | 500 |
| STP10075Z | STC10075Z | 10 x 3 | 500 |
| STP12016Z | | 12 x 5/8 | 1,000 |
| STP12020Z | | 12 x 3/4 | 1,000 |



Self Tapping Screws

Self Tapping Screws Steel Zinc Plated



| PART NO. | COUNTERSUNK PART NO | SIZE G X LENGTH | BOX QTY. |
|----------|---------------------|-----------------|----------|
|----------|---------------------|-----------------|----------|

Pan & Countersunk Head | Zinc Plated

| | | | |
|-----------|--|------------|-------|
| STP12025Z | | 12 x 1 | 1,000 |
| STP12030Z | | 12 x 1 1/4 | 1,000 |
| STP12038Z | | 12 x 1 1/2 | 1,000 |
| STP12050Z | | 12 x 2 | 1,000 |

| COUNTERSUNK PART NO | SIZE G X LENGTH | BOX QTY. |
|---------------------|-----------------|----------|
|---------------------|-----------------|----------|

Countersunk Undercut Head | Zinc Plated

| | | | |
|------------|--|----------|-------|
| STCU08012Z | | 8 x 1/2 | 1,000 |
| STCU10012Z | | 10 x 1/2 | 1,000 |




Self Tapping Screws - 304 SS

| PART NO. | COUNTERSUNK PART NO | SIZE G X LENGTH | BOX QTY. |
|----------|---------------------|-----------------|----------|
|----------|---------------------|-----------------|----------|

Pan & Countersunk Head | 304 Stainless Steel

| | | | |
|------------|---------------|-----------|-------|
| STP06010A2 | | 6 x 3/8 | 1,000 |
| STP06012A2 | STC06012A2 | 6 x 1/2 | 1,000 |
| STP06016A2 | STC06016A2 | 6 x 5/8 | 1,000 |
| STP06020A2 | STC06020A2 | 6 x 3/4 | 1,000 |
| | STC06020A2/4* | 6 x 3/4 | 1,000 |
| STP06025A2 | STC06025A2 | 6 x 1 | 1,000 |
| STP06030A2 | STC06030A2 | 6 x 1 1/4 | 1,000 |
| STP06038A2 | STC06038A2 | 6 x 1 1/2 | 1,000 |
| STP08010A2 | | 8 x 3/8 | 1,000 |
| STP08012A2 | STC08012A2 | 8 x 1/2 | 1,000 |
| STP08016A2 | STC08016A2 | 8 x 5/8 | 1,000 |
| STP08020A2 | STC08020A2 | 8 x 3/4 | 1,000 |
| STP08025A2 | STC08025A2 | 8 x 1 | 1,000 |
| STP08030A2 | STC08030A2 | 8 x 1 1/4 | 1,000 |
| STP08038A2 | STC08038A2 | 8 x 1 1/2 | 1,000 |
| STP08045A2 | STC08045A2 | 8 x 1 3/4 | 1,000 |
| STP08050A2 | STC08050A2 | 8 x 2 | 1,000 |
| STP10012A2 | STC10012A2 | 10 x 1/2 | 1,000 |
| STP10016A2 | STC10016A2 | 10 x 5/8 | 1,000 |
| STP10020A2 | STC10020A2 | 10 x 3/4 | 1,000 |



Self Tapping Screws

Self Tapping Screws - 304 SS



| PART NO. | COUNTERSUNK PART NO | SIZE G X LENGTH | BOX QTY. |
|----------|---------------------|-----------------|----------|
|----------|---------------------|-----------------|----------|

Pan & Countersunk Head | 304 Stainless Steel

| | | | |
|------------|------------|------------|-------|
| STP10025A2 | STC10025A2 | 10 x 1 | 1,000 |
| STP10030A2 | STC10030A2 | 10 x 1 1/4 | 1,000 |
| STP10038A2 | STC10038A2 | 10 x 1 1/2 | 1,000 |
| STP10050A2 | STC10045A2 | 10 x 1 3/4 | 1,000 |
| STP10065A2 | STC10050A2 | 10 x 2 | 1000 |
| STP10075A2 | STC10065A2 | 10 x 2 1/2 | 500 |
| | STC10075A2 | 10 x 3 | 500 |
| | STC12065A2 | 12 x 2 1/2 | 500 |

| COUNTERSUNK PART NO | SIZE G X LENGTH | BOX QTY. |
|---------------------|-----------------|----------|
|---------------------|-----------------|----------|

Countersunk Undercut Head | 304 Stainless Steel



| | | | |
|-----------------|--|----------|-------|
| STCU08012A2 | | 8 x 1/2 | 1,000 |
| STCU08016A2 | | 8 x 5/8 | 1,000 |
| STCU08020A2 | | 8 x 3/4 | 1,000 |
| STCU10012A2 | | 10 x 1/2 | 1,000 |
| STCU10020A2 | | 10 x 3/4 | 1,000 |
| STCU10012A2/8 * | | 10 x 1/2 | 1,000 |
| STCU10020A2/8 * | | 10 x 3/4 | 1,000 |


Truss Head | 304 Stainless Steel



| | | | |
|------------|--|----------|-------|
| STT06034A2 | | 6 x 34mm | 1,000 |
|------------|--|----------|-------|

| PART NO. | COUNTERSUNK PART NO | SIZE G X LENGTH | BOX QTY. |
|----------|---------------------|-----------------|----------|
|----------|---------------------|-----------------|----------|

Pan & Countersunk Head Square Drive | 304 Stainless Steel



| | | | |
|---------------|--------------|-----------|-------|
| STPSQ06010A2 | | 6 x 3/8 | 1,000 |
| STPSQ06012A2 | STCSQ06012A2 | 6 x 1/2 | 1,000 |
| STPSQ06016A2 | | 6 x 5/8 | 1,000 |
| STPSQ06020A2 | STCSQ06020A2 | 6 x 3/4 | 1,000 |
| STPSQ06025A2 | STCSQ06025A2 | 6 x 1 | 1,000 |
| STPSQ06030A2 | STCSQ06030A2 | 6 x 1 1/4 | 500 |
| STPSQ06038A2 | STCSQ06038A2 | 6 x 1 1/2 | 500 |
| 2STPSQ08012A2 | STCSQ08012A2 | 8 x 1/2 | 1,000 |
| STPSQ08016A2 | STCSQ08016A2 | 8 x 5/8 | 1,000 |

Self Tapping Screws

Self Tapping Screws - 304 SS



| PART NO. | COUNTERSUNK PART NO | SIZE G X LENGTH | BOX QTY. |
|----------|---------------------|-----------------|----------|
|----------|---------------------|-----------------|----------|

Pan & Countersunk Head Square Drive | 304 Stainless Steel

| | | | |
|--------------|--------------|------------|-------|
| STPSQ08020A2 | STCSQ08020A2 | 8 x 3/4 | 1,000 |
| STPSQ08025A2 | STCSQ08025A2 | 8 x 1 | 1,000 |
| STPSQ08030A2 | STCSQ08030A2 | 8 x 1 1/4 | 500 |
| STPSQ08038A2 | STCSQ08038A2 | 8 x 1 1/2 | 500 |
| STPSQ08050A2 | STCSQ08050A2 | 8 x 2 | 500 |
| STPSQ08075A2 | | 8 x 3 | 500 |
| STPSQ10012A2 | STCSQ10012A2 | 10 x 1/2 | 500 |
| STPSQ10016A2 | STCSQ10016A2 | 10 x 5/8 | 500 |
| STPSQ10020A2 | STCSQ10020A2 | 10 x 3/4 | 500 |
| STPSQ10025A2 | STCSQ10025A2 | 10 x 1 | 500 |
| STPSQ10030A2 | STCSQ10030A2 | 10 x 1 1/4 | 500 |
| STPSQ10038A2 | STCSQ10038A2 | 10 x 1 1/2 | 500 |
| STPSQ10050A2 | STCSQ10050A2 | 10 x 2 | 500 |
| STPSQ10065A2 | STCSQ10065A2 | 10 x 2 1/2 | 500 |
| STPSQ10075A2 | STCSQ10075A2 | 10 x 3 | 500 |

| COUNTERSUNK PART NO | SIZE G X LENGTH | BOX QTY. |
|---------------------|-----------------|----------|
|---------------------|-----------------|----------|

Countersunk Undercut Head Square Drive | 304 Stainless Steel

| | | |
|-------------------|----------|-------|
| STCUSQ08012A2 | 8 x 1/2 | 1,000 |
| STCUSQ08020A2 | 8 x 3/4 | 1,000 |
| STCUSQ10012A2 | 10 x 1/2 | 1,000 |
| STCUSQ10012A2/8 * | 10 x 1/2 | 1,000 |
| STCUSQ10020A2 | 10 x 3/4 | 1000 |

* 8 Gauge Head



TRADING PTY LTD

PROFAST

IMPORTERS OF INDUSTRIAL FASTENERS

Rivets

Aluminium (5052) / Steel



| PART NO. | DIA. mm | DIA IMPERIAL | MAX. GRIP | RIVET LENGTH | BOX QTY |
|--------------------------------------|---------|-----------------|-----------|-----------------|---------|
| Dome Head Aluminium / Steel | | | | | |
| AS4-01 | 3.2mm | 1/8 | 1.6mm | 4.8mm | 1,000 |
| AS4-02 | | | 3.2mm | 6.4mm | 1,000 |
| AS4-03 | | | 4.8mm | 8.0mm | 1,000 |
| AS4-04 | | | 6.4mm | 9.6mm | 1,000 |
| AS4-05 | | | 8.0mm | 11.1mm | 1,000 |
| AS4-06 | | | 9.6mm | 12.7mm | 1,000 |
| AS4-08 | | | 12.7mm | 16.1mm | 1,000 |
| AS4-10 | | | 16.0mm | 19.1mm | 1,000 |
| AS4-12 | | | 19.0mm | 22.2mm | 1,000 |
| AS5-02 | 4.0mm | 5/32 | 3.2mm | 7.1mm | 1,000 |
| AS5-03 | | | 4.8mm | 8.6mm | 1,000 |
| AS5-04 | | | 6.4mm | 10.2mm | 1,000 |
| AS5-06 | | | 9.6mm | 13.4mm | 500 |
| AS5-08 | | | 12.7mm | 16.5mm | 500 |
| AS5-10 | | | 16.0mm | 19.5mm | 500 |
| AS6-02 | 4.8mm | 3/16 | 3.2mm | 8.0mm | 500 |
| AS6-03 | | | 4.8mm | 9.6mm | 500 |
| AS6-04 | | | 6.4mm | 11.0mm | 500 |
| AS6-06 | | | 9.6mm | 14.5mm | 500 |
| AS6-08 | | | 12.7mm | 17.7mm | 500 |
| AS6-10 | | | 16.0mm | 21.0mm | 500 |
| AS6-12 | | | 19.0mm | 24.1mm | 500 |
| AS6-14 | | | 22.0mm | 27.0mm | 500 |
| AS6-16 | | | 25.0mm | 30.0mm | 250 |
| AS8-04 | 6.5mm | 1/4 | 6.4mm | 12.7mm | 250 |
| AS8-06 | | | 9.6mm | 15.9mm | 250 |



| PART NO. | DIA. mm | MAX. GRIP | RIVET LENGTH | BOX QTY |
|---|---------|-----------|-----------------|---------|
| Aluminium Countersunk Head Aluminium / Steel | | | | |
| ASC4-02 | 3.2mm | 3.2mm | 6.4mm | 1,000 |
| ASC4-03 | | 4.8mm | 8.0mm | 1,000 |
| ASC4-04 | | 6.4mm | 9.6mm | 1,000 |
| ASC5-04 | 4.0mm | 6.4mm | 10.2mm | 1,000 |
| ASC5-06 | | 9.6mm | 13.4mm | 500 |
| ASC6-04 | 4.8mm | 6.4mm | 11.0mm | 500 |
| ASC6-06 | | 9.6mm | 14.5mm | 500 |



Rivets

Aluminium (5052) / Steel



| PART NO. | DIA. mm | DIA IMPERIAL | MAX. GRIP | RIVET LENGTH | BOX QTY |
|---|---------|--------------|-----------|--------------|---------|
| Dome Head - Large Flange Aluminium / Steel | | | | | |
| ASL4-02 | 3.2mm | 1/8 | 3.2mm | 6.4mm | 1,000 |
| ASL4-04 | | | 6.4mm | 9.6mm | 1,000 |
| ASL4-06 | | | 9.6mm | 12.7mm | 1,000 |
| ASL5-04 | 4.0mm | 5/32 | 6.4mm | 10.2mm | 1,000 |
| ASL5-06 | | | 9.6mm | 13.4mm | 1,000 |



| Dome Head Aluminium / Steel - Coloured | | | | | |
|---|-------|------|--------|--------|-------|
| AS4-02 | 3.2mm | 1/8 | 3.2mm | 6.4mm | 1,000 |
| AS4-03 | | | 4.8mm | 8.0mm | 1,000 |
| AS4-04 | | | 6.4mm | 9.6mm | 1,000 |
| AS4-10 | | | 16.0mm | 19.1mm | 1,000 |
| AS5-04 | 4.0mm | 5/32 | 6.4mm | 10.2mm | 1,000 |
| AS6-04 | 4.8mm | 3/16 | 3.2mm | 8.0mm | 500 |

Available in the following colours.
Please add Colour Code after rivet Part No. when ordering.

| Code - Colour | AS4-03 | AS4-04 | AS4-10 | AS5-04 | AS6-04 |
|-------------------|--------|--------|--------|--------|--------|
| RS Riversand # | * | * | | | |
| NS Nightsky # | * | * | * | * | * |
| BR Blue Ridge # | * | | | | |
| BS Basalt # | * | | | | |
| BZ Bronze | * | * | | | |
| BGN Brunswick Grn | | | | | |
| BL Bushland # | * | | | | |
| C Cove # | * | | | | |
| CC Classic Crm # | * | * | * | * | |
| CG Cottage Grn # | * | * | | | |
| DO Deep Ocean # | * | * | | | |
| D Dune # | * | * | | | |
| EH Evening Haze # | * | * | | | |
| G Gully # | * | | | | |
| HL Headland # | * | * | | | |
| HRD Hunter Red | * | * | | | |
| ES Estate | * | * | | | |
| IS Iron Stone # | * | | | | |
| J Jasper | * | | | | |
| L Loft # | * | * | | | |



Rivets

Aluminium (5052) / Steel



| Code - Colour | AS4-03 | AS4-04 | AS4-10 | AS5-04 | AS6-04 |
|--------------------|--------|--------|--------|--------|--------|
| MGV Mangrove # | * | | | | |
| M Monument # | * | * | | | |
| MR Manor Red # | * | * | | | |
| SM Surfmist # | * | * | | * | * |
| PE Pale Eucalypt # | * | * | | | |
| PT Pale Terracotta | | | | | |
| PB Paperbark # | * | * | | | |
| P Plantation # | * | | | | |
| SB Sandbank # | * | | | | |
| SG Shale Grey # | * | | | | |
| TN Terrain # | | | | | |
| TB Torres Blue | * | * | | | |
| H Harvest | * | * | | | |
| W White | * | * | * | * | * |
| WB White Birch | * | * | | | |
| WN Wilderness # | * | * | | | |
| WS Windspray # | * | | | | |
| WG Woodland Grey # | * | * | | | |
| WY Wallaby # | * | | | | |

Colorbond & Colour names are Trademarks of BlueScope Steel P/L

| PART NO. | DIA. mm | MAX. GRIP | RIVET LENGTH | BOX QTY |
|----------|---------|-----------|--------------|---------|
|----------|---------|-----------|--------------|---------|

Dome Head Sealed | Aluminium / Steel



| | | | | |
|--------|-------|--------|--------|-------|
| SR4-02 | 3.2mm | 3.2mm | 8.0mm | 1,000 |
| SR4-03 | | 4.8mm | 9.5mm | 1,000 |
| SR4-04 | | 6.4mm | 10.7mm | 1,000 |
| SR4-06 | | 9.6mm | 12.7mm | 1,000 |
| SR5-02 | 4.0mm | 3.2mm | 7.0mm | 1,000 |
| SR5-04 | | 6.4mm | 11.7mm | 1,000 |
| SR5-06 | | 9.6mm | 15.0mm | 500 |
| SR6-02 | 4.8mm | 3.2mm | 10.0mm | 500 |
| SR6-03 | | 4.8mm | 11.0mm | 500 |
| SR6-04 | | 6.4mm | 12.5mm | 500 |
| SR6-05 | | 8.1mm | 14.0mm | 500 |
| SR6-06 | | 9.6mm | 15.5mm | 500 |
| SR6-08 | | 12.7mm | 18.0mm | 500 |
| SR6-10 | | 16.2mm | 22.0mm | 500 |

Rivets

Aluminium (5052) / Steel



| PART NO. | DIA. mm | MAX. GRIP | RIVET LENGTH | BOX QTY |
|--|---------|-------------|--------------|---------|
| Dome Head Multigrip Aluminium / Steel | | | | |
| Q2410 | 3.2mm | 1.6 - 4.8 | 8.0mm | 1,000 |
| Q2414 | | 3.2 - 8.0 | 11.4mm | 1,000 |
| Q2416 | | 4.8 - 9.6 | 13.0mm | 1,000 |
| Q2512 | 4.0mm | 1.6 - 6.4 | 10.5mm | 1,000 |
| Q2516 | | 3.2 - 8.0 | 12.0mm | 1,000 |
| Q2613 | 4.8mm | 1.6 - 6.4 | 11.1mm | 500 |
| Q2619 | | 3.2 - 9.6 | 14.3mm | 500 |
| Q2621 | | 8.0 - 12.7 | 17.5mm | 500 |
| Q2631 | | 11.2 - 19.1 | 25.0mm | 250 |



| PART NO. | DIA. mm | MAX. GRIP | RIVET LENGTH | BOX QTY |
|---|---------|-------------|--------------|---------|
| Multigrip Large Flange Aluminium / Steel | | | | |
| Q2619LF | 4.8mm | 3.2 - 9.6 | 14.3mm | 250 |
| Q2621LF | | 8.0 - 12.7 | 17.5mm | 250 |
| Q2631LF | | 11.2 - 19.1 | 25.0mm | 200 |

Steel/ Steel



| PART NO. | DIA. mm | MAX. GRIP | RIVET LENGTH | BOX QTY |
|----------------------------------|---------|-----------|--------------|---------|
| Dome Head Steel / Steel | | | | |
| SS4-02 | 3.2mm | 3.2mm | 6.4mm | 1,000 |
| SS4-03 | | 4.8mm | 8.0mm | 1,000 |
| SS4-04 | | 6.4mm | 9.6mm | 1,000 |
| SS4-06 | | 9.6mm | 12.3mm | 1,000 |
| SS5-02 | 4.0mm | 3.2mm | 7.0mm | 1,000 |
| SS5-04 | | 6.4mm | 10.0mm | 1,000 |
| SS5-06 | | 9.6mm | 13.0mm | 500 |
| SS6-02 | 4.8mm | 3.2mm | 7.6mm | 500 |
| SS6-04 | | 6.4mm | 10.5mm | 500 |
| SS6-05 | | 8.0mm | 12.7mm | 500 |
| SS6-06 | | 9.6mm | 13.5mm | 500 |



Rivets

Stainless/ Stainless A2



| PART NO. | DIA. mm | MAX. GRIP | RIVET LENGTH | BOX QTY |
|---|---------|-----------|--------------|---------|
| Dome Head Stainless / Stainless A2 | | | | |
| STST4-02 | 3.2mm | 3.2mm | 6.4mm | 1,000 |
| STST4-03 | | 4.8mm | 8.0mm | 1,000 |
| STST4-04 | | 6.4mm | 9.6mm | 1,000 |
| STST4-06 | | 9.6mm | 12.3mm | 1,000 |
| STST5-04 | 4.0mm | 6.4mm | 10.0mm | 1,000 |
| STST5-06 | | 9.6mm | 13.0mm | 500 |
| STST6-04 | 4.8mm | 6.4mm | 10.5mm | 500 |
| STST6-06 | | 9.6mm | 13.5mm | 500 |



TRADING PTY LTD

PROFAST

IMPORTERS OF INDUSTRIAL FASTENERS

Cuphead Bolts / Coach Screws Galv

Cuphead Bolts



| PART NO. | SIZE-DIAMETER X LENGTH | BOX QTY. |
|--|------------------------|----------|
| Cuphead Bolts / Nuts AS1390/1112 Galvanised | | |
| CHBN12160G | M12 x 160 | 50 |
| CHBN12170G | M12 x 170 | 50 |
| CHBN12180G | M12 x 180 | 50 |
| CHBN12200G | M12 x 200 | 50 |
| CHBN12220G | M12 x 220 | 50 |
| CHBN12240G | M12 x 240 | 50 |
| CHBN12260G | M12 x 260 | 50 |
| CHBN12280G | M12 x 280 | 50 |
| CHBN12300G | M12 x 300 | 50 |
| CHBN12350G | M12 x 350 | 50 |

Coach Screws



| Hexagon Head AS1393 Galvanised | | |
|---|--------------|-----|
| CS08040G | M 8 x 40mm | 100 |
| CS08050G | M 8 x 50mm | 100 |
| CS08065G | M 8 x 65mm | 100 |
| CS08075G | M 8 x 75mm | 100 |
| CS08090G | M 8 x 90mm | 100 |
| CS08100G | M 8 x 100mm | 100 |
| CS10040G | M10 x 40mm | 100 |
| CS10050G | M10 x 50mm | 100 |
| CS10065G | M10 x 65mm | 100 |
| CS10075G | M10 x 75mm | 50 |
| CS10100G | M10 x 100mm | 50 |
| CS10120G | M10 x 120 mm | 50 |
| CS10130G | M10 x 130 mm | 50 |
| CS10150G | M10 x 150 mm | 50 |
| CS12050G | M12 x 50 mm | 50 |
| CS12065G | M12 x 65 mm | 50 |
| CS12075G | M12 x 75 mm | 50 |
| CS12100G | M12 x 100 mm | 50 |
| CS12120G | M12 x 120 mm | 25 |
| CS12130G | M12 x 130 mm | 25 |
| CS12150G | M12 x 150 mm | 25 |
| CS12200G | M12 x 200 mm | 25 |