



Tapes

For all order enquiries  
call **07 3801 8885**

[temsupplies.com.au](http://temsupplies.com.au)

# PACKAGING PRODUCTS

## 1. Packaging Tapes

Packaging applications and performance requirements can vary greatly, resulting in Stylus developing a broad range of products to suit them all.

Vibac PP30	Rubber Adhesive – “Australia’s favourite” for over 25 years
Vibac Premium	Rubber Adhesive – Heavy duty grade for more demanding applications
PP50	Rubber Adhesive – Super strength tape
PP202	Rubber Adhesive
PP105	Synthetic Rubber (Hotmelt) Adhesive
Nachi PP101	Acrylic Adhesive
440	PVC Bag Sealing and Colour Coding Tape – Variety of colours available
650	Sticky Tape – Transparent – 66m metre rolls



## 2. Printed Stock Message Tapes & Labels

SP350	Polypropylene film printed red text on white tape
SP455	PVC film printed black text on fluorescent orange tape
SP101	Polypropylene film printed black text on orange tape
Shipping/Handling Labels	PVC Labels – Perforated labels easy to unwind, tear and stick, no paper to peel off
Dangerous Goods Labels	PVC Labels – Perforated labels easy to unwind, tear and stick, no paper to peel off

Refer to website for all messages and colours



## 3. Printed Personalised Message Tapes & Labels (multiple colours and sizes can be printed)

Stylus prints logos and/or specific messages on a variety of tapes and labels in sizes to suit every job.

CP350	Polypropylene film – Premium grade suitable for coolroom/ freeze use
CP300	Polypropylene film – General purpose grade
CP250	Polypropylene film – Economy grade
CP440	PVC film – Silent unwind
CP460	VBC film – Eco-friendly grade – Satin finish/write on tape
CP500	PVC Labels – Perforated labels easy to unwind, tear and stick, no paper to peel off




## 4. Filament & Strapping Tapes

- 185 High Strength Tensilised Strapping/Bundling Tape – Black and Clear
- 801 One Way Filament General Purpose
- 802 Two Way (Crossweave) Filament High Strength/Anti-Burst



## 5. Self Adhesive Envelopes

- ADM51-IE 140mm x 115mm  
"Invoice Enclosed"
- F6 150mm x 115mm  
"Invoice Enclosed"
- F2-NP 150mm x 115mm  
Plain lope, no print
- ST-7020 150mm x 115mm  
"Invoiced Enclosed"
- ST-7021 150mm x 115mm  
Plain lope, no print
- ST-7022 165mm x 115mm  
Redback "Invoice Enclosed"
- ST-7023 165mm x 115mm  
Redback plain lope, no print
- ST-7024 175mm x 125mm  
Redback "Invoice Enclosed"
- ST-7027 235mm x 175mm  
Redback plain lope, no print



## 6. Dispensers

- B2/N Stationery Desk - Up to 25mm
- B3 Packing Bench - Up to 50mm
- D2-38 Metal Tear Drop - Fits 38mm
- D2-50 Metal Tear Drop - Fits 50mm
- E7-R Metal Bag Sealer - Up to 12mm
- H11 Pistol Grip - Up to 50mm
- H15 Low Noise Pistol Grip - Up to 50mm
- H1-S Safety Pistol Grip - Up to 50mm
- H100 Pistol Grip - Up to 100mm
- ATG-50 Transfer Gun - Extended Nose
- HT-21 Transfer Gun
- ST-75 Label Tape Bench – Up to 75mm
- ST-150 Label Tape Bench – Up to 150mm



# GAFFER & CLOTH RANGE

## 7. Nashua Gaffer Tapes

- 357 The industry standard and “Professionals Choice”  
Original and the best for over 25 years  
Colours available: Black, Drab Olive (dark green), Silver and White
- 510 Outdoor Matte Black Gaffer  
Weather/UV resistant



## 8. Specialised Gaffer Tapes

- 511 Premium Neon/Fluoro Gaffer  
Four colours to choose from: Green, Orange, Pink and Yellow
- 720 Double sided gaffer tape for short term use in exhibition halls to adhere carpets – Removes cleanly (short term)
- 210 Hazard Stripe – Yellow and Black  
For identifying temporary hazards – 48mm only



## 9. Cloth Tapes

- 352 Premium Book Binding Grade – Nine colours to choose from  
Available in various widths
- 370 General Purpose – Eight colours to choose from  
Available in various widths
- 398 Nashua Industrial Grade – Seven colours to choose from - 48mm only
- 360 General Purpose – Display Pack – Small 4.5m rolls - 48mm only  
Suitable for everyday use
- 361 General Purpose – Bulk Pack – Small 4.5m rolls - 48mm only  
Suitable for everyday use
- 399 General Purpose – Seven colours to choose from  
Retail packed – Suitable for everyday use





## 10. Masking Tapes

- 805      **1 Day** - General Purpose - Suitable for common everyday masking applications
- 833      **3 Day** - Heavy Duty Grade - High adhesion tape for hard to stick to surfaces
- 821      **5 Day** - Contractors Grade - Removes cleanly up to five days indoors
- 835      **14 Day** - Outdoor Grade - UV resistant, removes cleanly up to 14 days outdoors
- 842      **30 Day** - Delicate Surface Grade - Removes cleanly up to 30 days indoors
- 850      **60 Day** - Sharpline Grade - Removes cleanly up to 60 days indoors



### Bulk/Trade Pack

- 8801      General Purpose - Suitable for common everyday masking applications
- 813      Heavy Duty Grade - High adhesion tape for those hard to stick to surfaces
- 8811      Automotive Grade - OEM and aftermarket oven bake masking
- 848      Supreme High Temperature Grade - Suitable for fibreglassing applications
- MSK-180      High Temperature Polyester film - Suitable for powder coat masking and silicone splicing applications
- SP743      Photographic Matte Black - Pinhole free



## 11. Pre-Taped Masking Films

A retail packaged range of pre-assembled automotive grade masking tape and film.

Film comes with static cling and is corona treated to prevent paint flaking.

- TM550      550mm drop sheet – Dispenser and refill pack
- TM1200      1200mm drop sheet – Dispenser and refill pack
- TM1800      1800mm drop sheet – Dispenser and refill pack
- TM2700      2700mm drop sheet – Dispenser and refill pack

### Outdoor Grade

- TM1100      1100mm drop sheet – Dispenser and refill pack



## 12. Paper Tapes

- 250      Rope Stock  
Extreme high tack for demanding applications
- 260      Silicone Kraft  
Carpet layer tape and as “bond breaker tape”
- 270      Flat back  
Picture framers tape  
Acid free (pH neutral adhesive)



# AUTOMOTIVE RANGE

## 13. Masking Tapes & Films

- 179 Blue PVC Fineline – High temperature oven grade
- 835 14 Day Wetsanding Grade  
UV stable adhesive suitable for outdoor applications
- 848 Supreme High Temperature Grade – Suitable for bake ovens
- 8811 Automotive Grade – Suitable for bake ovens
- TM550 Premium Grade film with Auto mask  
550mm drop sheet – Dispenser and refill pack
- TM1200 Premium Grade film with Auto mask  
1200mm drop sheet – Dispenser and refill pack
- TM1800 Premium Grade film with Auto mask  
1800mm drop sheet – Dispenser and refill pack
- TM2700 Premium Grade film with Auto mask  
2700mm drop sheet – Dispenser and refill pack
- AS-487 Autosheet masking film opens out to 4.8m wide  
Oven grade and corona treated to prevent paint flaking



## 14. Specialty Tapes

- 860-10 Trimstik  
Used for pulling back rubber window trims before painting
- 4010 Seamseal  
Applied by hand like putty, requires no priming
- 5589 Bodymold – Black – 0.80mm thick  
General purpose polyethylene foam
- 5608 Bodymold – Black – 0.80mm thick  
Performance grade high bond foamed acrylic
- 5611 Bodymold – Black – 1.10mm thick  
Performance grade high bond foamed acrylic
- 5311 Bodymold – Translucent – 1.14mm thick  
Premium grade very high bond acrylic
- 5711 Bodymold – White – 1.00mm thick  
Premium grade high bond foamed acrylic



## 15. Disposable Gloves

- Latex Cream – AQL 1.5 Rating
- Nitrile Blue – AQL 1.5 Rating



## 16. Duct Tapes

- 550/13 Sealing and Joining Tape  
Silver and Black – 48mm
- 575/13 Sealing and Joining Tape  
Silver – 72mm
- 4430 Sealing and Joining Tape  
Silver – 48mm
- 550/14 Premium quality  
Silver – 48mm
- 550/16 Heavy Duty  
Silver – 48mm




## 17. Foil Tapes

- 902 Plain Aluminum Foil  
Vapor seal/moisture barrier tape
- 973 Reinforced Aluminum Foil (Approval: AS/NZS 1530.3-1999)  
Lagging tape – High strength foil that can be torn by hand  
Can be custom cut to various widths



## 18. Foam Flange Tapes

- 3829 Grey Polyethylene Linerless Foam  
5mm thick
- 9105 Grey Polyethylene Foam  
5mm thick
- 3207/6.4 Grey PVC Foam  
6.4mm thick
- 3824 White Polyethylene Linerless Foam  
5mm thick



# DOUBLE SIDED RANGE

## 19. Adhesive Transfer Tapes

- T001 General Purpose Grade – Recommended dispenser ATG-50
- T002 High Tack Grade – Recommended dispenser ATG-50
- T003 Removable Grade – Recommended dispenser HT-21
- 9140 Premium Grade hand applied
- 9150 High Tack hand applied



## 20. Double Sided Tapes

- 720 High Tack Premium Grade Cloth  
Coated with natural rubber adhesive
- 730 Permanent bonding tissue  
Coated with natural rubber adhesive
- 740 Permanent bonding tissue  
Coated with acrylic adhesive acid free (pH neutral)
- 745 Permanent bonding tissue  
Coated with acrylic adhesive
- 765 Permanent bonding clear polyester film  
Coated with high tack acrylic adhesive
- 770 Permanent bonding PVC film  
Coated with high tack acrylic adhesive
- 4181 Resealable translucent polyester film  
Coated with permanent adhesive one side and removable the other



## 21. Extender Liner/Fingerlift Tapes

- DST/F Permanent bonding tissue on printed paper liner  
Suitable for paper and cardboard
- 1431/F Permanent bonding adhesive transfer on printed paper liner  
Suitable for paper
- 1811/F Permanent bonding adhesive transfer on printed paper liner  
Suitable for paper and PE film
- 4181/F Resealable film on printed paper liner  
Coated with permanent one side and removable the other
- 4123/F Permanent bonding OPP film on heat cuttable plastic liner  
Suitable for LDPE and HDPE films
- BST/F Resealable clear OPP film on heat cuttable plastic liner  
Suitable for LDPE plastic films





## 22. Plate/Stereo Mount Tapes


- 781/10 Removable transparent PVC film – 4 thou
- 781/20 Removable transparent PVC film – 8 thou
- 781/30 Removable transparent PVC film – 12 thou



## 23. Double Sided Foam Tapes

Selecting the correct product is crucial to success, from colonial bars, mirror mounting or commercial glazing suites, there is a Stylus double sided foam tape for every application.

- 2010 Polyethylene - White  
General purpose grade for indoor mounting applications  
1.00mm thick
- 2132 Polyethylene - White  
Profile mounting - High shear strength for indoor uses  
0.80mm thick
- 2116 Polyethylene - White  
Mirror mounting - High shear strength for indoor uses  
1.52mm thick
- 2108 Polyethylene - White  
Mirror mounting - High shear strength for indoor uses  
3.20mm thick
- 5139 PVC - Black  
Spacer Glazing Tape – For permanent seal  
(various thicknesses)
- 5200 Polyurethane - Black  
Structural Glazing Tape – For permanent seal  
(various thicknesses)
- 5589 Polyethylene - Black  
General purpose grade for outdoor mounting applications  
0.80mm thick
- 4030 Polyethylene - White  
Retail packed – Short roll version of 2010  
1.00mm thick



## VERY HIGH BOND (double sided)

### 24. Foamed Acrylics (various thicknesses and widths available)

This section bridges the gap between general purpose double sided foams and high performance solid acrylic in the section below.

Commonly used in construction, sheet metal fabrication and train; truck and bus manufacture to replace or reduce the use of mechanical fasteners.

If you have never seen what it can do ask for a demonstration.

- 5600 Black  
High tack, suitable for outdoor applications
- 5700 White  
Cold temperature (can be applied at 0°C), suitable for outdoor applications
- 4040 Grey  
Retail packed – Short roll version of 5600 – 1.00mm thick



### 25. Solid Acrylics (various thicknesses and widths available)

This section represents the pinnacle of double sided tapes, commonly used in construction, sheet metal fabrication and train, truck and bus manufacture to replace or reduce the use of mechanical fasteners.

If you have never seen what it can do ask for a demonstration.

- 5300 Translucent  
High performance for the most demanding situation  
Suitable for outdoor applications
- 5400 Crystal Clear  
High performance ideal for glass and acrylic  
Suitable for outdoor applications
- 4050 Crystal Clear  
Retail packed - Short roll version of 5400 – 1.00mm thick



### 26. Application Aids

No two surfaces are the same. Most require cleaning with **IPA** prior to tape application. Some also need to be primed with **AP-1** as their surface energy value is too low to be able to achieve a functional bond between surface and adhesive.

See “Surface Preparation” tab on website for more detailed information.

- AP-1 Adhesion Promoter/Primer  
Improves adhesive bond to low surface energy substrates
- IPA Isopropyl Alcohol Surface Cleaning Solution  
Refer to surface preparation tips on website





## 27. Single Sided Range (various thicknesses & widths available)

Foam sealing applications and performance requirements are many and varied, most of our foams come in six thicknesses and up to 1200mm wide.

Show us the application and we will have the foam to seal the deal.

Ideal for creating long term waterproof seals, vibration dampening uses.

- 3024 PVC – White Med Density  
For excluding draughts or protecting greenhouse films
- 3207 PVC – Grey Soft Density  
Low density foam easily conforms to irregular surfaces
- 3209 PVC – Black Soft Density  
Low density foam easily conforms to irregular surfaces
- 3257 PVC – Grey Medium Density  
Slightly firmer version for narrow width applications
- 3259 PVC – Black Medium Density  
Slightly firmer version for narrow width applications
- 3507 PVC – Grey Hard Density  
Heavy duty foam suitable for many demanding applications
- 3509 PVC – Black Hard Density  
Heavy duty foam suitable for many demanding applications
- 3824 Polyethylene – White (Linerless)  
Anti noise “purlin/roofing tape”
- 3829 Polyethylene – Grey Medium Density (Linerless)  
Multi use general purpose foam
- 6100 Neoprene – Black Medium Density  
High performance rubber for creating weather seals
- 7100 Polyurethane Open Cell – Grey Soft Density  
For creating dust and insect barriers
- 8100 PVC/Nitrile – Black Medium Density  
Economy grade for creating weather seals
- 9100 Polyethylene – Grey Medium Density  
Multi use general purpose foam



## 28. Die Cuts

Stylus offers a wide variety of tapes that can be custom cut to any shape or profile for use as a gasket or pad to aid in the assembly or marketing of your product. Die cuts can be supplied in various forms from loose pieces to kiss cut on the roll.

Please contact your representative for further information on these convenient options.





# REFLECTIVE RANGE

## 29. Class 1 - Premium

Provides close to three times more reflectivity and more angularity than Class 2. These features make it suitable for use on road works sign, heavy vehicle markers, mining vehicles and road signs in disadvantaged locations or black spot areas. Conforms to AS/NZS 1906.1:2007.

- 2900 Polyester – High intensity prismatic  
Solid colours  
For identifying hazards
- 2902 Polyester – High intensity prismatic  
Hazard stripe colours  
50mm diagonal chevron
- 2903LH Polyester – High intensity prismatic  
Hazard stripe colours  
75mm left hand diagonal chevron
- 2903RH Polyester – High intensity prismatic  
Hazard stripe colours  
75mm right hand diagonal chevron



## 30. Class 2 - Engineering

Glass bead technology, this product is suited for use on rear marker plates on vehicles (ADR 45 level), service signs, parking signs, guide signs and route markers. Conforms to AS/NZS 1906.1:2007

- 2800 Polyester – High visibility grade  
Solid colours  
For identifying hazards
- 2802 Polyester – High visibility grade  
Hazard stripe colours  
50mm diagonal chevron
- 2803LH Polyester – High visibility grade  
Hazard stripe colours  
75mm left hand diagonal chevron
- 2803RH Polyester – High visibility grade  
Hazard stripe colours  
75mm right hand diagonal chevron
- 2805 Polyester – High visibility conspicuity grade  
Hazard colours  
150mm rectangular chevron



### Application Tips

Surface preparation forms an integral part in the successful and long term performance of Class 1 and Class 2 Reflective. Please refer to section 26 on page 11 relating to application aids and see the website for more detailed information.



## 31. Disposable Gloves (various sizes available)

- Vinyl Clear  
AQL 1.5 Rating  
Economy grade for hospitality and janitorial
- Vinyl Blue  
AQL 1.5 Rating  
Economy grade for hospitality/janitorial/food service industry
- Latex Cream  
AQL 1.5 Rating  
Examination grade offering increased feel (fits like a second skin)
- Nitrile Blue  
AQL 1.5 Rating  
Industrial grade super tough/nick resistant glove



## 32. Safety Tapes

- 210 Cloth Hazard Stripe Yellow/Black  
Removable tape for use in short term/temporary applications  
Can be torn by hand
- 471 PVC Indoor Floor Marking  
Solid colours  
Marking out sports courts/warehouses
- 471 PVC Indoor Safety/Warning Tape  
Various hazard stripe colours  
For identifying hazards and emergency zones
- 2660 Anti-Slip (exceeds AS/NZS: 4586:2004)  
Available in solid and diagonal hazard stripe colours  
Greatly reduces chances of slipping in high risk areas
- 2660 Anti-Slip Mats (exceeds AS/NZS: 4586:2004)  
Various styles ideal for stair treads warehouse entry/exit areas  
Individually bagged and pre-cut to 605mm x 115mm
- 2770 Barricade Tape (non adhesive) – Red/White and Yellow/Black  
For identifying temporary hazardous/restricted zones
- 2825 Glowbrite  
Glow in the dark tape  
Used to illuminate paths, exit doors, stairs, hand rails and location markers

### Application Tips

Surface preparation forms an integral part in the successful and long term performance of these products. Please refer to section 26 on page 11 relating to application aids and see the website for more detailed information.



## RETAIL RANGE

### 33. Stationery Tapes

- 620 Crystal Clear  
Large 66m rolls  
Consumer satisfaction since 1990
- 630 Crystal Clear  
Small 33m rolls  
Consumer satisfaction since 1990
- Ice Invisible  
33m and 66m rolls available  
Invisible when photocopied



### 34. Packaging Tapes & Dispensers

- 505 1 roll pack – General purpose grade suitable for common everyday applications
- 506 Twin roll pack – General purpose grade suitable for common everyday applications
- 101R 6 roll pack – General purpose grade suitable for common everyday applications
- PP30R 1 roll pack – Premium grade Vibac for more demanding everyday applications
- PP30R 6 roll pack – Premium grade Vibac for more demanding everyday applications
- H11 Pistol Grip - Up to 50mm
- H15 Low Noise Pistol Grip - Up to 50mm
- H1-S Safety Pistol Grip - Up to 50mm



### 35. Double Sided Tapes

- 722 Polypropylene – White  
Suitable for common light weight indoor mounting applications
- 4030 PE Foam – White – Mirror mounting  
High shear strength for indoor uses - 1.00mm thick
- 4040 Foamed Acrylic – Grey – Permanent mounting  
High bond/high tack foamed acrylic for outdoor uses – 1.00mm thick
- 4050 Solid Acrylic – Crystal Clear – Permanent mounting  
High bond/high tack tape acrylic for outdoor uses – 1.00mm thick
- 5589 Polyethylene – Black  
General purpose grade for outdoor mounting applications - 0.80mm thick



### 36. Disposable Gloves

- Vinyl Clear – AQL 1.5 Rating  
Economy grade for hospitality and janitorial
- Vinyl Blue – AQL 1.5 Rating  
Economy grade for hospitality/janitorial/food service industry
- Latex Cream – AQL 1.5 Rating  
Examination grade offering increased feel (fits like a second skin)
- Nitrile Blue – AQL 1.5 Rating  
Industrial grade super tough/nick resistant glove



### 37. Masking Tapes

- 179 Blue PVC Fineline – Suitable for airbrushing and jobs that require tape to be applied around bends or curves
- 805 **1 Day** - General Purpose – Suitable for common everyday masking applications
- 833 **3 Day** - Heavy Duty Grade – High adhesion tape for those hard to stick to surfaces
- 821 **5 Day** - Contractors Grade – Removes cleanly up to 5 days indoors
- 835 **14 Day** - Outdoor Grade – UV stable, removes cleanly up to 14 days outside
- 842 **30 Day** - Delicate Surface Grade – Removes cleanly up to 30 days indoors
- 850 **60 Day** - Sharpline Grade – Removes cleanly up to 60 days indoors



### 38. Electrical & Duct Tapes

- 500 Electrical Insulation Tape – Display Pack – Suitable for everyday use
- 520 Electrical Insulation Tape – Bulk Pack – Suitable for everyday use
- 550/11 Utility Sealing and Joining Builders Tape – Silver only
- 550/13 Sealing and Joining Tape – Silver and Black
- 575/13 Sealing and Joining Tape – Silver only
- 4430 Sealing and Joining Tape – Silver only
- 550/14 Premium quality – Silver only
- 550/16 Heavy Duty – Silver only



### 39. Cloth Tapes

- 210 Hazard Stripe – Yellow and Black – Used to identify temporary hazards
- 357 Gaffer – “The Professionals Choice” – Original and the best for over 20 years
- 360 General Purpose – Display Pack – Small 4.5m rolls – Suitable for everyday use
- 361 General Purpose – Bulk Pack – Small 4.5m rolls – Suitable for everyday use
- 399 General Purpose – Seven colours to choose from – Suitable for everyday use



### 40. Special Application Tapes

- 386 Self Fusing Silicone Tape  
Black and Clear  
Temporary repair/rescue tape
- 2661 Anti-Slip  
Various colours  
Greatly reduces chances of slipping in high risk areas





# HOOK & LOOP RANGE

## 41. Cable Ties (re-closable up to 5,000 times)

- 3417 Self gripping and re-usable  
Heavy duty grade offering superior/adjustable closure over a long life cycle  
Suitable for internal and external uses  
Ideal for wrapping around cords/leads/network cables etc  
Available in a variety of sizes and colours



## 42. Cable Wrap (re-closable up to 5,000 times)

- 3419 Self gripping and re-usable  
Heavy duty grade offering superior/adjustable closure over a long life cycle  
Suitable for internal and external uses  
Can be mechanically fixed by: riveting, screwing or stapling  
Available in a variety of sizes and colours
- 3420 As above but in continuous roll form allowing you to cut to your desired length  
Available in a variety of sizes and colours



## 43. Self Adhesive Hook & Loop Rolls

Suitable for sticking to a variety of surfaces

Easy to use and apply – simply press and stick

Can be cut to any desired length

Available in a variety of sizes and colours

- 3421 Hook in continuous roll form. Will anchor itself to various kinds of loop materials from fabrics to carpet etc
- 3422 Loop in continuous roll form





## 44. Surface Protection Tapes

Commonly used for protecting surfaces from damage during the building and/or assembly process. Available in a wide variety of widths up to 1250mm.

- 2923 Polyethylene Film – Black  
Suitable for outdoor applications – Removes cleanly
- 8511 PVC Film – Blue  
Suitable for indoor applications – Removes cleanly
- 8518 PVC Film – Black  
Suitable for outdoor applications – Removes cleanly



## 45. Special Application Range

For all those out of the ordinary applications we have developed an extremely diverse range of highly specialised tapes that offer solutions or protection from a host of problems experienced across many industries and applications.

- 1510 UHMW – Translucent  
Slick surface guide tape
- 1615 PTFE – Brown Glass Cloth  
Heat bar/seam sealer tape
- 2420 Napped Silicone “Pimple Tape”
- 2501 Self Amalgamating PIB  
For data and low voltage cable joining, insulation and waterproofing
- 2517 Self Amalgamating EPR  
For high voltage cable joining, insulation and waterproofing
- 2907 Polyethylene – Black  
Electrolysis barrier/isolation tape
- 2933 Polyethylene – Clear  
Outdoor repair/green house tape
- 8300 Polyurethane – Clear  
UV stable surface protection tape  
For leading edges, racing industry and sports equipment
- 9100FR Polyurethane – Clear  
Moisture barrier with flame retardant properties and high puncture resistance
- DW204-3 PTFE – Brown Skived Film  
Extremely high temperature masking tape
- MSK-180 Polyester film - Green  
Suitable for high temperature masking and silicone splicing



### Disclaimer

All the information contained in this catalogue is given in good faith for guidance only and not specification purposes. All data is based upon average values, the Purchaser shall be responsible for determining the suitability of the product for their purposes.